


Requesting Office: Magalies Water	
Contact Person: Dineo Mphasane	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026716
E-mail address: centralised email address quotations@magalieswater.co.za	

DATE ISSUE: 06 February 2026

CLOSING DATE: **12 February 2026**

PLACE OF DELIVERY: **Magalies Water, Rustenburg**

For More information/query email or call quotations@magalieswater.co.za or 014 597 4636

Item No.	TRAINING - BREATHING APPARATUS
	<p>Duration of the course: 01 Day</p> <p>Number of delegates: 80</p> <p>Plants/ Area's: Southwest (Taung), Far West (Mafikeng), Area East (Klipdrift) and Area West (Vaalkop)</p> <p>*Please see the below specification</p>

1. Submission of Quotations

RFQ Number must always be stated on the quotation.

Quotations should be submitted on or before the Request for Quotation Deadline **Date by no later than 12h00** to the email below. Email: quotations@magalieswater.co.za, **No hand delivered quotations will be accepted, all quotations to be submitted to the email indicated on the RFQ.**

2. Selection of Qualifying Quotation

The selection of the qualifying quotation will be at Magalies water's sole discretion. Magalies Water does not bind itself to accept any particular Quotation.

3. Documents required

ADMINISTRATIVE REQUIREMENTS:

- Quotation must have CSD vendor number **or** CSD report
- Quotation must have RFQ reference number
- Completed and signed Declaration of Interest Form (SBD4)
- Quotation with validity period should be a minimum of 30 days or more from the date of issue.

Requesting Office: Magalies Water	
Contact Person: Dineo Mphasane	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026716
E-mail address: centralised email address quotations@magalieswater.co.za	

- Quotation with physical address, date, contact details and banking details.

Requesting Office: Magalies Water	
Contact Person: Dineo Mphasane	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026716
E-mail address: centralised email address quotations@magalieswater.co.za	

MANDATORY REQUIREMENTS:

- Quotation must be line with the specification.
- Quotations received after the closing date will not be accepted.

***NB All non-responsive bids will be rejected.**

4. EVALUTION OF QUOTATION

All Quotations with a rand value equal to or below R50 million, will be evaluated in terms of the PPR 2022 using the 80:20 Preference point system.

CRITERIA	POINTS
Price	80
Specific goals	20
TOTAL	100 points

Specific goal	Number of points (80/20 system)	Means of verification
Black people ownership equity	5	Central Supplier Database (CSD) report
Women equity	3	Central Supplier Database (CSD) report
Youth equity	2	Central Supplier Database (CSD) report
Disability	2	Medical certificate or (CSD)
Promotion of small businesses Medium- 2 Points Small- 3 Points Micro- 4 Points	4	<ol style="list-style-type: none"> 1. Central Supplier Database (CSD) report for transactions from rand value to R500 000.00. 2. Signed Financial Statements for transactions above R500 000.00

Requesting Office: Magalies Water	
Contact Person: Dineo Mphasane	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026716
E-mail address: centralised email address quotations@magalieswater.co.za	

Other- 0 Points		
Locality Within 100km radius of where goods/service is required	3	Proof of address (tribal authority letter/ Lease agreement accompanied by municipal rates invoice/statement)
Military Veterans (MVA)	1	MVA force number/CSD
Total	20	

5. TERMS & CONDITIONS

- 5.1. Quotations received after the closing date will not be accepted.
- 5.2. All costs to be included in the quotation.
- 5.3. Delivery must take place at the specified place.
- 5.4. Quotations to be valid for a minimum of 30 days or more from date of issue.
- 5.5. The Government Procurement General Conditions of Contract shall apply.

TRAINING SPECIFICATION

Breathing Apparatus

Course Objectives

Intended for all employees as a progressive course and is required respond to an incident where SCBA must be used.

- Employees responsible to evacuate an area with a respiratory hazard.
- Persons responsible to rescue a victim within a respiratory hazardous area.
- Fire watch/safety standby personnel

On completion of this Training Course participants should understand respiratory hazards.

- Understand Respiratory hazards.
- Understand the limitations in the use of self-contained breathing apparatus.
- Identify the key components of self-contained breathing apparatus.
- Don and Doff a SCBA safely and use during a rescue emergency.
- Do basic inspection and care of SCBA.
- Assist with victim rescue.
- Assist with SCBA emergency refilling operations

Course Outcomes

Intended for all employees as a progressive course and is required respond to an incident where SCBA must be used.

- Employees responsible to evacuate an area with a respiratory hazard.
- Persons responsible to rescue a victim within a respiratory hazardous area.
- Fire watch/safety standby personnel

Specific topics include:

- Legislative and Chlorine work place procedures
- Hazards associated with Chlorine storage areas.
- Conduct and document a risk assessment
- Respiratory hazards
- Limitations
- Open circuit SCBA
- Donning
- Doffing
- Inspection, care and maintenance
- Practical exercises

Duration of the course: 01 Day

Number of delegates: 80

Plants/ Area's: Southwest (Taung), Far West (Mafikeng), Area East (Klipdrift) and Area West (Vaalkop)

Company registration & accreditation

HWSETA or SETA

SAQA

Facilitator credential

Facilitators' course

SETA accredited facilitator

Facilitator's certificate on the required training.

Facilitator work experience (as a trainer), attach CV.

Certification

A valid certificate should be issued with 2 weeks after the course

Validity of the certificate should be specified.

Note below:

A training program for each day (with start and end time) must be submitted prior commencement of training.

Payment will only be paid after receiving the training certificates.

Magalies Water has a right to terminate the training and not make payment should the training provided not meet the above requirements.