

Requesting Office:	
Contact Person: Kgopotso Koma	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026033
E-mail address: quotationseast@magalieswater.co.za	

DATE ISSUE: 07 MAY 2026

CLOSING DATE: **13 MAY 2026**

PLACE OF DELIVERY: **HEAD OFFICE**

For More information/query email or call quotationseast@magalieswater.co.za OR 014 597 4636

Item No.	Description/Specification	Quantity
	RFQ – 10026033 Rustenburg LM CSI 2025/26 Project Water Conservation and Demand Management: Zonal Metering procure and supply meters Scope of Work & Specification Document Project: Supply and Delivery of Electromagnetic Flow Meters to Magalies Water for Rustenburg LM. 1. Background & Objectives A primary objective is the identification and reduction of water losses, also known as non-revenue water, caused by leaks, burst pipes, and unauthorized connections. By monitoring the flow into a specific zone and comparing it to the aggregated customer consumption within that zone, utilities can quickly pinpoint areas with significant water loss. 2. Scope of Work Zonal water meter specifications must comply with standards like SANS 1529-1 (Class C), a robust and leak-proof construction with a sealed, liquid-filled or dry dial counter, and a physical size and type determined by the pipe diameter and expected flow rate. To be equipped with internal non-return valves and strainers, which are designed to resist tampering, and have maximum working pressure ratings, with installation guidelines specifying straight pipe sections before and after the meter. Meter type and performance • Meter Type: Magnetic Flow Meters (Battery Powered) • Standards compliance: Meet or exceed local standards, such as SANS 1529-1:2019 Class C.	

Requesting Office:	
Contact Person: Kgopotso Koma	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026033
E-mail address: quotationseast@magalieswater.co.za	

	• Accuracy: Maintain accuracy regardless of installation angle (horizontal, vertical, or inclined) and flow rate. • Pressure rating: A maximum working pressure of at least 1600 kPa is common, with a pressure test to a higher value, such as 4800 kPa. • Temperature rating: Suitable for cold potable water up to 50 °C • Tamper-proofing: Should be durable and leak-proof, with sealed counters to prevent manipulation. Some specifications may prohibit visible pulse outputs to prevent tampering. Physical and internal components • Body: Durable materials like glass-reinforced polymer for strength. • Counter: A clear, easily readable, liquid-sealed or dry dial counter, with an 8-digit display, registers in cubic meters (m3) • Non-return valve and strainer: An internal non-return valve and a strainer are standard to prevent backflow and filter debris. • Drive mechanism: A Direct mechanical drive specified to prevent magnetic interference and tampering. • Installation: Installed with a specific length of straight pipe upstream (e.g., 10 times the meter diameter) and downstream (e.g., 5 times the meter diameter) of the meter to ensure laminar flow. • Isolation valves: It is advisable to have isolation valves installed both upstream and downstream for maintenance purposes. • Enclosure: May require specific enclosure specifications, including a lockable door for access and protection from environmental factors. Additional features • Pulse output: Some meters are "pulse-prepared," meaning they can be fitted with a pulse output for smart metering, but it is often an optional extra. • Sealing: All joints must be properly sealed to prevent water leakage into the meter chamber.	
--	--	--

Requesting Office:	
Contact Person: Kgopotso Koma	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026033
E-mail address: quotationseast@magalieswater.co.za	

<table border="1"> <thead> <tr> <th>Meter No.</th> <th>Name</th> <th>Size</th> <th>Price</th> </tr> </thead> <tbody> <tr> <td>97</td> <td>Lethabong Graveyard 1</td> <td>50mm</td> <td></td> </tr> <tr> <td>97B</td> <td>Lethabong Graveyard 2</td> <td>50mm</td> <td></td> </tr> <tr> <td>180</td> <td>Kortbegrip 1</td> <td>200mm</td> <td></td> </tr> <tr> <td>181</td> <td>Kortbegrip 2</td> <td>200mm</td> <td></td> </tr> <tr> <td>264</td> <td>Monakato Reservoir Outlet 2</td> <td>250mm</td> <td></td> </tr> <tr> <td>265</td> <td>Monakato Reservoir Outlet 3</td> <td>250mm</td> <td></td> </tr> <tr> <td>369</td> <td>Bethanie Reservoir Inlet 1</td> <td>150mm</td> <td></td> </tr> <tr> <td>361</td> <td>Bethanie Reservoir Inlet 2</td> <td>150mm</td> <td></td> </tr> <tr> <td>375</td> <td>Modikwe Reservoir Inlet 1</td> <td>150mm</td> <td></td> </tr> <tr> <td>365</td> <td>Modikwe Reservoir Inlet 2</td> <td>150mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Total</td> <td></td> </tr> </tbody> </table> 1. Mandatory Requirements 1. NB: Preference will be given to Local Suppliers	Meter No.	Name	Size	Price	97	Lethabong Graveyard 1	50mm		97B	Lethabong Graveyard 2	50mm		180	Kortbegrip 1	200mm		181	Kortbegrip 2	200mm		264	Monakato Reservoir Outlet 2	250mm		265	Monakato Reservoir Outlet 3	250mm		369	Bethanie Reservoir Inlet 1	150mm		361	Bethanie Reservoir Inlet 2	150mm		375	Modikwe Reservoir Inlet 1	150mm		365	Modikwe Reservoir Inlet 2	150mm								Total		
Meter No.	Name	Size	Price																																																		
97	Lethabong Graveyard 1	50mm																																																			
97B	Lethabong Graveyard 2	50mm																																																			
180	Kortbegrip 1	200mm																																																			
181	Kortbegrip 2	200mm																																																			
264	Monakato Reservoir Outlet 2	250mm																																																			
265	Monakato Reservoir Outlet 3	250mm																																																			
369	Bethanie Reservoir Inlet 1	150mm																																																			
361	Bethanie Reservoir Inlet 2	150mm																																																			
375	Modikwe Reservoir Inlet 1	150mm																																																			
365	Modikwe Reservoir Inlet 2	150mm																																																			
		Total																																																			

1. Submission of Quotations

RFQ Number must always be stated on the quotation.

Quotations should be submitted on or before the Request for Quotation Deadline **Date by no later than 12h00** to the email below. Email: quotationseast@magalieswater.co.za.

No hand delivered quotations will be accepted, all quotations to be submitted to the email indicated on the RFQ.

2. Selection of Qualifying Quotation

The selection of the qualifying quotation will be at Magalies water's sole discretion. Magalies Water does not bind itself to accept any particular Quotation.

3. Documents required

Requesting Office:	
Contact Person: Kgopotso Koma	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026033
E-mail address: quotationseast@magalieswater.co.za	

ADMINISTRATIVE REQUIREMENTS REQUIREMENTS:

- Quotation must have CSD vendor number **or** CSD report
- Quotation must have RFQ reference number
- Completed and signed Declaration of Interest Form (SBD4)
- Quotation with validity period should be a minimum of 30 days or more from the date of issue.
- Quotation with physical address, date, contact details and banking details.

MANDATORY REQUIREMENTS REQUIREMENTS:

- Quotation must be line with the specification.
- Quotations received after the closing date will not be accepted.

***NB All non-responsive bids will be rejected.**

4. EVALUTION OF QUOTATION

All Quotations with a rand value equal to or below R50 million, will be evaluated in terms of the PPR 2022 using the 80:20 Preference point system.

CRITERIA	POINTS
Price	80
Specific goals	20
TOTAL	100 points

Specific goal	Number of points (80/20 system)	Means of verification
Black people ownership equity	5	Central Supplier Database (CSD) report
Women equity	3	Central Supplier Database (CSD) report
Youth equity	2	Central Supplier Database (CSD) report

Requesting Office:	
Contact Person: Kgopotso Koma	
Contact Numbers: 014 597 4636	
Facsimile:	RFQ – 10026033
E-mail address: quotationseast@magalieswater.co.za	

Disability	2	Medical certificate or (CSD)
Promotion of small businesses	4	1. Central Supplier Database (CSD) report for transactions from rand value to R500 000.00.
Medium- 2 Points		2. Signed Financial Statements for transactions above R500 000.00
Small- 3 Points		
Micro- 4 Points		
Other- 0 Points		
Locality	3	Proof of address (tribal authority letter/ Lease agreement accompanied by municipal rates invoice/statement)
Military Veterans (MVA)	1	MVA force number/CSD
Total	20	

5. TERMS & CONDITIONS

- 5.1. Quotations received after the closing date will not be accepted.
- 5.2. All costs to be included in the quotation.
- 5.3. Delivery must take place at the specified place.
- 5.4. Quotations to be valid for a minimum of 30 days or more from date of issue.
- 5.5. The Government Procurement General Conditions of Contract shall apply.